ELSEVIER

Volume 259, Numbers 1–2, 22 August 1997

Journal of ALLOYS AND COMPOUNDS

# Contents

**Letters**

Magnetovolume effect of $Co_2B$ . . . . . L1
T. Kanomata, Y. Ise, N. Kumagai, A. Haga (Tagajo, Japan), K. Kamishima, T. Goto (Tokyo, Japan), H.M. Kimura, H. Yoshida, T. Kaneko, A. Inoue (Sendai, Japan)

Preparation of $Mg_2Ni$ base alloy by the combination of mechanical alloying and heat treatment at low temperature . . . . . L5
L. Aymard (Amiens, France), M. Ichitsubo, K. Uchida, E. Sekreta, F. Ikazaki (Ibaraki, Japan)

The $\gamma$-$Nb_4N_{3\pm x} \rightarrow \delta$-$NbN_{1-x}$ phase transition . . . . . L9
R. Berger, W. Lengauer, P. Ettmayer (Vienna, Austria)

$ZrO_{2-x}S_x$: Stabilization of cubic $ZrO_2$ by a partial exchange of oxygen by sulfur . . . . . L14
J.R. Anderson, H. Kleinke, H.F. Franzen (Ames, IA, USA)

**Physics**

Effect of heat treatment on structure and magnetic properties of the Fe–N and Fe–Ti–N alloy films . . . . . 1
D.-L. Peng, K. Sumiyama, K. Suzuki (Sendai, Japan)

Magnetic properties of the $Y_3(Fe,Mo)_{29}N_x$ nitride . . . . . 7
H. Pan (Beijing and Hangzhou, P.R. China), C. Chen, S. Li (Hangzhou, P.R. China), F. Yang, X. Han (Beijing, P.R. China), Q. Wang (Hangzhou, P.R. China)

Neutron diffraction study of the $TbFeSi_2$-type $NdMnCu_{0.5}Ge_{1.5-x}Si_x$ ($0 \leq x \leq 1.5$) solid solution . . . . . 11
M.N. Norlidah, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France)

Influence of hydriding on the magnetic properties of $Gd_3Ni_6Al_2$ . . . . . 24
S. Pechev, B. Chevalier (Pessac, France), M. Khrussanova, M. Terzieva (Sofia, Bulgaria), J.L. Bobet, B. Darriet (Pessac, France), P. Peshev (Sofia, Bulgaria)

Ground state in $CeAl_3$: a $Ce(Al_{1-x}M_x)_3$ study with M = Ga, Si, Ge and Sn . . . . . 29
S. Corsépius, M. Lenkewitz, G.R. Stewart (Augsburg, Germany)

Magnetic properties of RPdGe (R = Ce, Pr and Tb) compounds . . . . . 36
A. Szytuła, M. Kolenda (Kraków, Poland), E. Ressouche (Grenoble, France), A. Zygmunt (Wrocław, Poland)

Magnetic properties of $Pr_2Co_{17-x}Al_x$ and $Y_2Co_{17-x}Al_x$ . . . . . 42
D. Zhang (Shenyang, P.R. China and Amsterdam, The Netherlands), C.H. de Groot (Eindhoven, The Netherlands), E. Brück, F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

XPS, XES, and XAS studies of the electronic structure of substoichiometric cubic $TaC_x$ and hexagonal $Ta_2C_y$ carbides . . . . 47
O.Yu. Khyzhun (Kiev, Ukraine)

Magnetic and electrical resistivity study of $Tm_3Co_{11}B_4$ compound . . . . . 59
A. Kowalczyk, L. Smardz (Poznań, Poland)

Magnetic properties of the ytterbium non-stoichiometric trihydride phase . . . . . 62
W. Iwasieczko, M. Drulis, H. Drulis (Wrocław, Poland)

Magnetic properties of $R_2Co_{17-x}Ga_x$ compounds (R = Sm and Gd) . . . . . 65
D. Zhang (Shenyang, P.R. China and Amsterdam, The Netherlands), D.P. Middleton (Eindhoven, The Netherlands), E. Brück, F.R. de Boer (Amsterdam, The Netherlands), Z.D. Zhang (Shenyang, P.R. China), K.H.J. Buschow (Amsterdam, The Netherlands)

Elsevier Science S.A.

Optical characterization of $BaLaALO_4$:Nd . . . . . 69
W. Ryba-Romanowski, S. Gołąb, W.A. Pisarski, G. Dominiak-Dzik (Wrocław, Poland), A. Pajączkowska (Warsaw, Poland)

Hydrogen and deuterium diffusion in titanium dihydrides/dideuterides . . . . . 74
U. Kaess, G. Majer, M. Stoll (Stuttgart, Germany), D.T. Peterson, R.G. Barnes (Ames, IA, USA)

**Chemistry**

A new description of Samson's $Cd_3Cu_4$ and a model of icosahedral i-CdCu . . . . . 83
G. Kreiner, M. Schäpers (Dortmund, Germany)

Phase diagram of the zirconium–tellurium system . . . . . 115
R. de Boer, E.H.P. Cordfunke (Petten, The Netherlands)

The ethane-like $[Ge_2S_6]^{6-}$ and $[Si_2Se_6]^{6-}$ ligands bound to main-group metals in $Na_8Pb_2[Ge_2S_6]_2$, $Na_8Sn_2[Ge_2S_6]_2$, and $Na_8Pb_2[Si_2Se_6]_2$ . . . . . 122
G.A. Marking, M.G. Kanatzidis (East Lansing, MI, USA)

Electrochemical evaluation of thermodynamic parameters for dissolved hydrogen in stoichiometric and nonstoichiometric hydrogen storage alloys . . . . . 129
C. Iwakura, M. Miyamoto, H. Inoue, M. Matsuoka, Y. Fukumoto (Osaka, Japan)

Effect of stoichiometric ratio on discharge efficiency of hydrogen storage alloy electrodes . . . . . 132
C. Iwakura, M. Miyamoto, H. Inoue, M. Matsuoka, Y. Fukumoto (Osaka, Japan)

Characterization of the transport processes in Fe-Cr-Ni stainless steel . . . . . 135
N. Afify, A. Gaber, M.S. Mostafa, A.A. Hussein (Assiut, Egypt)

Crystal structure and phase relations for $Mn_3Sn_2$ and non-stoichiometric $Mn_{2-x}Sn$ . . . . . 140
M. Stange, H. Fjellvåg, S. Furuseth (Oslo, Norway), B.C. Hauback (Kjeller, Norway)

The stabilization of $\gamma$-$Ce_2S_3$ at low temperature by heavy rare earths . . . . . 145
F. Marrot, A. Mosset, J.-C. Trombe (Toulouse, France), P. Macaudière, P. Maestro (Aubervilliers, France)

Optical absorption study of Rh(III)- and Ir(III)-doped NaCl single crystals ($NaCl:M^{3+}$, $M = Rh^{3+}$, $Ir^{3+}$)—A crystal field analysis . . . . . 153
B. Gilliams, L. Heerman, C. Görller-Walrand (Heverlee (Leuven), Belgium)

Synthesis and structure of the subnitrides $Ba_2GeGaN$ and $(Ba_xSr_{1-x})_3Ge_2N_2$; $x \approx 0.7$ . . . . . 158
S.J. Clarke, F.J. DiSalvo (Ithaca, NY, USA)

Crystal structure and vibrational spectra studies of stillwellite compounds $NdBSiO_5$ . . . . . 163
Y. Shi (Beijing, P.R. China), J.K. Liang (Beijing and Shenyang, P.R. China), H. Zhang, J.L. Yang, W.D. Zhuang, G.H. Rao (Beijing, P.R. China)

New barium niobium sulfides. II. Preparation of $BaNb_{2.85}S_{6.23}$ and $BaNb_{5.33}S_{11.0}$ . . . . . 170
M. Saeki, Y. Yajima (Ibaraki, Japan)

Heat capacities of $LnCrO_3$ (Ln = rare earth) . . . . . 176
H. Satoh, S.-i. Koseki, M. Takagi (Toyohashi, Japan), W.Y. Chung (Chucheon, Korea), N. Kamegashira (Toyohashi, Japan)

Compositional and structural characteristics of MgNi alloy prepared by mechanical alloying for use as negative electrodes in nickel–metal hydride batteries . . . . . 183
S. Nohara, H. Inoue, Y. Fukumoto, C. Iwakura (Osaka, Japan)

Crystal structure of $Tb_{16}Ni_{36}P_{22}$ and isotypic lanthanoid nickel phosphides . . . . . 186
S.I. Chykhrij, V.S. Babizhets'ky, S.V. Oryshchyn, Yu.B. Kuz'ma, L.G. Aksel'rud (L'viv, Ukraine)

Electronic structure of $Sm_2Fe_{17}X_x$ (X = C or N) calculated by DV-X$\alpha$ method . . . . . 191
H. Izumi, K. Machida, G. Adachi (Osaka, Japan)

Preparation of highly porous iridium oxide electrodes by pore initiation with rare earth ions . . . . . 196
Y. Murakami, T. Nakamura, X.-G. Zhang, Y. Takasu (Ueda, Japan)

Synthesis and characterisation of $HgBa_2Ca_{0.7}Dy_{0.3}Cu_2o_{6+\delta}$ . . . . . 200
G. Nilsson, I. Bryntse (Stockholm, Sweden)

On the rhombohedral-cubic phase transition of solid solutions $ROF-CaF_2$ with R = Gd, Tb and Dy . . . . . 208
J.-H. Müller, T. Petzel, B. Hormann, O. Andresen (Hamburg, Germany)

Varieties of charge transfer and bonding between layers in misfit layer compounds $(MX)_xTX_2$ . . . . . 212
S.P. Abramov (St. Petersburg, Russia)

**Metallurgy**

Phase relations and properties of compounds in $TiSe_2-IrSe_2$ system . . . . . 219
M. Shimakawa, K. Hayashi (Okayama, Japan)

First thermodynamic approach of the (Ir + Ga) system . . . . . 225
P. Anres, M. Gaune-Escard, J.P. Bros (Marseille, France)

Intermetallic compound formed by electrodeposition of indium on antimony . . . . . 234
V.M. Kozlov, V. Agrigento, D. Bontempi, S. Canegallo, C. Moraitou, A. Toussimi, L.P. Bicelli, G. Serravalle (Milano, Italy)

Structural study of Fe–Si nanostructured materials . . . . . 241
M. Abdellaoui (Tunis, Tunisia), C. Djega-Mariadassou (Orsay, France), E. Gaffet (Belfort, France)

On new rare-earth compounds LnRhAl . . . . . 249
H. Schwer, F. Hulliger (Zürich, Switzerland)

Hydrogen absorption studies in $Zr_{0.2}Tb_{0.8}Co_3$ and decrepitation and cyclic stabilities in $Zr_{0.2}Tb_{0.8}Co_3$ and ZrMnFe . . . . . 254
C. Arun, S. Ramaprabhu (Madras, India)

**Materials Science**

Study of thermal residual stresses in ceramic matrix composites . . . . . 260
J.-L. Bobet, J. Lamon (Pessac, France)

Magnetic anisotropy and magnetoelastic properties of $SmFe_{11}Ti$ . . . . . 265
V.Yu. Bodriakov, T.I. Ivanova, S.A. Nikitin, I.S. Tereshina (Moscow, Russia)

Effect of Ni containing surface phases on the electrode characteristics of $Ti_{1.0}Mn_{1.0}V_{0.5}$ . . . . . 270
J.-S. Yu, K.-Y. Lee, J.-Y. Lee (Taejon, South Korea)

Structures, properties and responses to heat treatment of melt-spun Cu–Y alloys . . . . . 276
Y. Li, S.C. Ng, L.K. Tan, D. Lu (Singapore, Singapore)

Author Index of Volume 259 . . . . . 283

Subject Index of Volume 259 . . . . . 285